



**PRODUITS CHIMIQUES  
SPECIAUX**

## **SCALPFUGE ANTIMOUSSE**

A new generation product designed for preventive and curative dual action treatment: Water repellent & moss inhibitor.

### **I Applications:**

**1) For the treatment of new constructions and surfaces against the formation of algae, mosses and against damp problems.**

**2) For the renovation of old buildings, after the use of our "ANTIMOUSSE RAPIDE", "SCALP PIERRE BIO 89", "SCALPNET BIO 37" or "SCALPNET BIO 109" to provide a high fungicide persistence rate and long term water repellent protection.**

SCALPFUGE ANTIMOUSSE is a fungicide for roofs, façades, walls and floors. SCALPFUGE ANTIMOUSSE is designed for use on building materials (tile, slate, fibro-cement, shingle, stone, mineral coatings, lime coatings, brick, plaster, concrete, roughcast, thick plasticized coatings, wood) SCALPFUGE ANTIMOUSSE stops micro-organisms from developing (algae, lichen, mosses, moulds) and water penetrating the surface.

### **II Product Advantages:**

- Curative and preventive
- Water based
- Dual action: Time saving for finishing trades
- Effective on all surfaces
- New concept
- High persistence rate, over 5 years (depending on climatic conditions)
- Non corrosive
- Odourless
- Non-film forming product
- No rinsing required

### **III Physicochemical Properties:**

- Bactericidal, fungicidal and oligo-siloxane based aqueous phase product
- White milky liquid
- Density: 0.995 g/cm<sup>3</sup> at 20°C
- Flash Point: Non-flammable
- Not frost resistant (effect reversible)

### **IV Instructions for use:**

- 1. Dilution:** Ready to use, never dilute.
- 2. Tools:** Roller, manual sprayer, airless spray gun
- 3. Method:** Mix SCALPFUGE ANTIMOUSSE well then apply to the surface to be treated, from the base upwards until the surface is saturated. Apply one or two coats a 10-minute intervals. Avoid overuse of the product, which could leave coloured traces on the surface. Apply SCALPFUGE ANTIMOUSSE to clean and preferably dry surfaces.
- 4. Application Time:** SCALPFUGE ANTIMOUSSE is a permeating solution. The treatment will be effective immediately on complete drying of SCALPFUGE ANTIMOUSSE (one to several hours).
- 5. Application Temperature:** From 5 to 50°C. Efficacy is reduced at extreme temperatures.
- 6. Application Rate:** According to materials and their porosity.

### **V Precautions for Safe Handling & Use:** Never rinse after application

- 1. Protection of surfaces:** Protect surfaces not to be treated. Avoid contact with surrounding vegetation.
- 2. Protection of personnel:** In case of contact with skin and face, wash with water.

### **VI Cleaning of tools:**

Clean tools in water immediately after use.

### **VII Packaging, palletising, storage:** Store in frost free conditions.

- In containers of 200 litres.
- 5 litres: carton of 4 X 5 litres
- 20 litres: pallet of 24 X 20 litres
- 1 litres, carton of 12 X 1 litres

**Important:** The contents of this documentation result from our experience of the product. We cannot be held responsible for its use in each individual case. It is essential to test areas to be treated beforehand.

SCALP E 49a

Created: September 2005

Updated:



8 - 14, ALLÉE DE BRUXELLES - Z.I. DE LA POUDRETTE - 93320 PAVILLONS SOUS BOIS  
TÉL. : 01 48 48 39 76 - FAX : 01 48 49 80 36 - E - mail : [scalp@scalp-france.fr](mailto:scalp@scalp-france.fr)  
S.A. AU CAPITAL DE 115 500 € - R.C. BOIGNY B 562 112 227 - C.C.P. PARIS 2727-780 - SITE internet : [www.scalp-france.fr](http://www.scalp-france.fr)